



Full cone nozzle 120 degree								
Pressure bar	0,5	1,0	2,0	3,0	4,0	5,0	7,0	10,0
L/min	23	30	40	47	51	56	66	76




Spiral nozzle 170 degree					
Pressure bar	0,5	2,0	3	6,0	10,0
L/min	68	135	166	186	214

Patent application:

Vægt N/A	Materiale	Rev.	Init. flp	Dato 07-01-2025
 JØNI EV FIRE EQUIPMENT APS		Titel		
		Tegningsnummer Wall Expander connection		



Vægt N/A	Materiale	Rev.	Unit. flp	Dato 19-12-2024
 JØNI EV FIRE EQUIPMENT APS		Titel		
		Tegningsnummer Expander using		



vandtilslutning

fordeler

silovæg/dør/container etc





vandtåge/spray/påfyldning

B (1 : 2,5)

B

mekansk excentrisk lås/fastholdelse

Vægt N/A	Materiale	Rev.	Unit. flp	Dato 19-12-2024
 JØNI EV FIRE EQUIPMENT APS		Titel		
		Tegningsnummer Expander using		



Vægt N/A	Materiale	Rev.	Init. flp	Dato 07-01-2025
 JØNI EV FIRE EQUIPMENT APS		Titel		
		Tegningsnummer Forgrener Gris C52-4xD med hane		

**Pictures of Jøni Wall Expander connector
- attached to a 20ft ISO-container**

